




Product Type: Crimp terminal

Product Name: BL635V3XF-WT-0000

Product Description: Pitch: 6.35mm Rated Voltage : 600V 3 row, 2column CE

Product Size



Parameters

| | |
|-----------------------|-------------------|
| SUPU ID | BL635V32F-WT-0000 |
| Pitch | 6.35 |
| Number of levels | Multi-Layer |
| Number of connections | X |

| | |
|-------------------------------|----------------------|
| ☞ Connection method | Cold Pressure Wiring |
| ☞ Protection Level | IP20 |
| ☞ Operating temperature range | -40~+105°C |
| ☞ Insulation material | PA66 |
| ☞ Insulation material group | I |
| ☞ Contact material | - |
| ☞ Contact plating | - |
| ☞ Color | White |

Commercial data

| | |
|------------|-------------------|
| ☞ Order No | BL635V32F-WT-0000 |
|------------|-------------------|

Ningbo SUPU Electronics Co., Ltd.

Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,

Cixi City, Zhejiang Province, China

Zip code: 315303

Switchboard: +86 574-63288158

Fax: +86 574-63288170

E-mail:supucontact@supu.cn

Service Hotline: 400-626-6336



Date:2026-03-14 11:29

The right to modify data belongs to SUPU.