


Product Type: M8 Field-assembly Connector

## Product Name:M8A04Z-FASSTSA



Product Description: M8 assembly welded type, straight female 4-core ,shielded,the diameter of the adapter wire is 3.5-5.0MM

### Product Size



### Parameters

|                                                                                                         |             |
|---------------------------------------------------------------------------------------------------------|-------------|
|  SUPU ID               | M8          |
|  Number of connections | 4           |
|  Connection method     | Solder Type |
|  Cable OD.             | 3.5-5.0mm   |

|                               |                   |
|-------------------------------|-------------------|
| ☞ Protection Level            | IP67              |
| ☞ Operating temperature range | -40~+85°C         |
| ☞ Mounting Type               | Field             |
| ☞ Thread type                 | M8X1.0            |
| ☞ Category                    | Female            |
| ☞ Product type                | assembly,straight |
| ☞ Coding                      | A                 |
| ☞ Connection method           | Solder Type       |
| ☞ Shielded                    | YES               |
| ☞ Mechanical endurance        | ≥100              |
| ☞ Standards                   | IEC61076-2-104    |

## Technical data

|                            |                 |
|----------------------------|-----------------|
| ☞ IEC Rated Current        | 3A              |
| ☞ IEC Rated Voltage        | 50 VAC / 60 VDC |
| ☞ Degree of pollution      | 3               |
| ☞ Insulation Resistance    | ≥100MΩ          |
| ☞ Contact resistance       | <10mΩ           |
| ☞ Contact/surface material | CuSn/Ni/Au      |
| ☞ Contact carrier material | PA              |
| ☞ Screw/nut material       | CuZn            |
| ☞ Sealing material         | NBR             |

## Commercial data

## Ningbo SUPU Electronics Co., Ltd.

Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,  
Cixi City, Zhejiang Province, China

Zip code: 315303

Switchboard: +86 574-63288158

Fax: +86 574-63288170

E-mail:supucontact@supu.cn

Service Hotline: 400-626-6336



Wechat